In the Specification:

Page 1, between line 2 and 3, please insert the following:

	- ago 1, between line 2 and 3, please insert the following.
181	ABACKGROUND OF THE INVENTION
	1. Field of the Invention 🕢
	Page 1, between line 4 and 5, please insert the following:
B ²	№2. Description of the Related Art №.
	Page 1, between lines 16 and 17, please insert the following:
B 3	A SUMMARY OF THE INVENTION A√
	Page 1, last paragraph (starting line 19 to line 2, page 2), replace with
	the following paragraph:

According to the invention, this objective is attained by forming equilenin derivatives of general formula (I)

wherein

 R_1 denotes a hydrogen atom, a C_1 - C_5 -alkyl group, a C_1 - C_5 -acyl group or a benzoyl group,

 R_2 denotes a hydrogen atom and R'_2 denotes a fluorine atom, a hydroxyl group or a C_1 - C_5 -acyloxy group or R_2 and R'_2 together

contd.

denote an oxo group,

R₃ denotes a hydrogen atom or a methyl group,

 R_4 denotes a hydrogen atom and R'_4 denotes a hydroxyl group or a C_1 - C_{11} -acyloxy group or R_4 and R'_4 together denote an oxo group, a methylene group, a halomethylene group or a dihalomethylene group and

R₅ denotes a hydrogen atom or a methyl group.

Page 5, first full paragraph (lines 4 to 14), replace with the following paragraph:

\$35

The cyclopropano steroids of general formula II wherein

 R_1 denotes a hydrogen atom, a C_1 - C_5 -alkyl group, a C_1 - C_5 -acyl group or a benzoyl group,

R₂ denotes a hydrogen atom and R'₂ denotes a fluorine atom, a

contol B5

hydroxyl group or a C_1 - C_5 -acyloxy group or R_2 and R'_2 together denote an oxo group,

R₃ denotes a hydrogen atom or a methyl group,

 R_4 denotes a hydrogen atom and R'_4 denotes a hydroxyl group or a C_1 - C_{11} -acyloxy group or R_4 and R'_4 together denote an oxo group, a methylene group, a halomethylene group or a dihalomethylene group and

R₅ denotes a hydrogen atom or a methyl group, are new and have previously not been described.

Page 5, second full paragraph (line 15 to 24), replace with the following paragraph:

B6

Particularly preferred, are, for example, the following cyclopropano steroids:

- 1) 11α -hydroxy-3-methoxy- 14α , 15α -methylene- 8α , 9α -oxidoestra-1,3,5(10)-trien- 17α -yl acetate,
- 2) 3-methoxy-14 α ,15 α -methylene-8 α ,9 α -oxidoestra-1,3,5(10)-trien-11 α ,17 α -diyl diacetate and
- 3) _3-methoxy-11 α -hydroxy-8 α ,9 α -oxido-14 α ,15 α -methylenestra-1,3,5(10)-trien-17 β -yl acetate.